

F.No.GGSIPU/GA)/2013/3796


Dated: 26/9/13

NOTICE

**Subject: Precautionary measures in order to prevent breeding of mosquitoes**

In order to prevent breeding of mosquitoes in and around the campus area and prevent vector borne diseases, all the employees, hostlers and residents of the University are requested to take following precautionary measures at their end:

1. All the overhead tanks need to be covered.
2. Coolers are to be cleaned on every 7<sup>th</sup> day.
3. All the sites where water can stagnate or pooling of water can take place are to be drained of water.
4. Breeding place like fountains, flower pots, flower pot trays, coolers, lift shafts, shafts, overhead tanks and drains are to be kept clean of stagnant water which is conducive to mosquito breeding.
5. Ensure that all roofs of campus are clear of broken furniture, old tyres, empty flower pots and disused material to prevent any mosquitogenic situation during monsoon season.

  
(Dr. Bhaskar P. Joshi)  
Registrar

Copy to: -

1. Dean USBT
2. Dean USICT
3. Dean USLLS
4. Dean USMS
5. Dean USBAS
6. Dean USAP
7. Dean USEM
8. Dean USHSS
9. Dean USCT
10. Dean USE
11. Dean USMC
12. Dean USET
13. Director Research & Consultancy
14. Director Centre for Disaster Management Studies
15. Director Legal Aid Cell
16. Director Development
17. Director Academic Affairs
18. Director Project Monitoring Cell
19. Director International Affairs
20. Director Co-ordination
21. Director Students Welfare
22. Controller of Finance
23. Controller of Examination
24. Librarian
25. Chief Engineer/SE(UWD)
26. DR (Affiliation)