



GURU GOBIND SINGH INDRAPRASTHA UNIVERSITY
SECTOR 16C, DWARKA, NEW DELHI – 110075

GGSIU/PUR/Furniture/fixture/Schools/2011-2012/ 165

08th December, 2011

Corrigendum

Name of Work : **Supply and Installation of Furniture Items in Conference Rooms / Seminar Hall at GGSIPU Campus, Sector 16C, Dwarka, New Delhi - 110075**

Estimated Cost of work : **Rs. 70 Lakhs**

The following points may be read as under:

Items Code	Items	Dimensions (In mm)	Specifications
5	Cushioned Low Back Chair	760Wx760D x 865-985H x 420-540 SH	Providing & Fixing of mid back chair SEAT/BACK: The seat and back are made up of 1.2 cm. thick hot-pressed plywood, upholstered with fabric and moulded Polyurethane foam, together with moulded seat and back covers. The back foam is designed with contoured lumbar support for extra comfort. (LOW BACK) SIZE: 44.0 cm.(W) x 47.0 cm.(H) SEAT SIZE: 52.0 cm.(W) x 48.0 cm.(D) 2) POLYURETHANE FOAM: The Polyurethane foam is moulded with density = 45 +/- 2 kg/m ³ and Hardness = 20 +/- 2 kg. on Hampden machine at 25% compression. SEAT / BACK COVERS: the seat cover is injection moulded in black Copolymer Polypropylene and back cover is vacuum formed from 0.3 cm thk. black ABS sheets. ARMRESTS (FIXED): The one-piece armrests are made of black integral skin polyurethane with 50-70 Shore 'A' hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment is maintenance free, has an adjustment stroke of 10.0 cm. and can be operated at 30 kgs. extension force. TELESCOPIC BELLOW ASSEMBLY: The bellow is 3 piece telescopic type and is injection moulded in black Polypropylene. PEDESTAL ASSEMBLY: The pedestal is injection moulded in black 30% glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is 60.0cm. pitch-centre dia. (70.0 cm with castors). TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in black Nylon and undergo the following tests Castor Durability test, Castor Retention test, Castor Pull out test, Castor Wheel Pull out test, Castor Breakability test. as per the Direction of the Chairman committee.
6	VISITOR CHAIR WITH ARMS	550Wx 610Dx805H x 440SH	Providing & fixing visitor chair. SEAT/BACK ASSEMBLY The seat and back are made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lipping all around. The back foam is designed with contoured lumbar support for extra comfort. The chair SIZE: 49.0cm.(W) x 47.0cm.(H) SEAT SIZE: 49.0cm.(W) x

			<p>44.0cm (D) POLYURETHANE FOAM: The polyurethane foam is moulded with density = 45 +/-2 kg/m³ and Hardness = 20 +/- 2 kg. on Hampden machine at 25% compression. ARMRESTS: The one-piece armrests made of black integral skin polyurethane with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. The armrests are fitted to the seat with seat/armrest connecting strip assembly made of 0.5cm thk. HR steel. TUBULAR FRAME: The tubular frame is cantilever type & made of Dia. 2.54cm. (1")x14 BG M.S. ERW tube and black powder coated. Leg frame welded assembly made from 35 X 15 X 16BG(1.6THK) elliptical MS ERW tube with base plate for seat fixing</p>
--	--	--	---

Annexure – J

The Bidders are required to provide the some of mock-up as per the specifications & diagrams as given in schedule of quantities, submit & install the mock-up/samples of furniture item as given below at GGSIP University, Sector 16C, Dwarka, New Delhi within 15 days of the letter of intimation to the qualified bidders in the "initial eligibility criteria".

Mockup

S. No.	Name of the Items
1	Conference Table
2	Wooden computer Table 3' x 2'
3	Cushioned HI Back Conference Room Chair
4	Cushioned Mid Back Conference Room Chair
5	Cushioned Low Back Chair
6	Visitor Chair with Arms


 [Pankaj Agrawal]
 Addl. Dy. Registrar [Purchase]